

**M.K.S. MACHINERY CO., LTD.**

3575/47-48 Soi Chalaemnittr, Pradu 1 Road, Bangclo, Bangkhorlaem, Bangkok 10120, Thailand

E-mail: [mail@mksmachinery.com](mailto:mail@mksmachinery.com) Website: [www.mksmachinery.com](http://www.mksmachinery.com)

Tel: 02-688-4192, 089-893-1715




## NEUAR EDM

### A30E2



Item	Metric	Imperial Units
Travel (X / Y / Z)	250 x 200 x 200 mm	9.8 x 7.8 x 7.8 in
Work Table Dimensions (X / Y)	470 x 280 mm	18.5 x 11 in
Work Tank Dimensions (W x D x H)	885 x 435 x 270 mm	34.8 x 17.1 x 10.6 in
Z axis auxiliary Travel Distance	+170 mm	+6.6 in
Distance between chuck and table (3R / EROWA)	95 ~ 470 mm	3.7 ~ 18.5 in
	75 ~ 450 mm	2.9 ~ 17.7 in
Maximum Electrode Weight	30 kg	66.1 lb
Max. Workpiece Weight	300 Kg	661.3 lb
Max. Output Current	30 A	30 A
Best Surface Finish/Wear Rate	0.08 Ra / 0.02 %	0.08 Ra / 0.02 %
Input Power	5 KVA	5 KVA
Max. Capacity of Dielectric	200 L	200 L
Machine Dimensions (W x D x H)	1200 x 1105 x 2140 mm	47.2 x 43.5 x 84.2 in
Total Weight of Machine	1135 Kg	2502.2 lb



M.K.S. MACHINERY CO., LTD.

3575/47-48 Soi Chalaemnittr, Pradu 1 Road, Bangclo, Bangkhorlaem, Bangkok 10120, Thailand

E-mail: mail@mksmachinery.com Website: www.mksmachinery.com

Tel: 02-688-4192, 089-893-1715




## NEUAR EDM

### A50E2



Item	Metric	Imperial Units
Travel (X / Y / Z)	400 x 300 x 300 mm	15.7 x 11.8 x 11.8 in
Work Table Dimensions (X / Y)	630 x 360 mm	24.8 x 14.1 in
Work Tank Dimensions (W x D x H)	940 x 550 x 350 mm	37 x 21.6 x 13.7 in
Z axis auxiliary Travel Distance	-	-
Distance between chuck and table (3R / EROWA)	155 ~ 455 mm	6.1 ~ 17.9 in
	135 ~ 435 mm	5.3 ~ 17.1 in
Maximum Electrode Weight	50 kg	110.2 lb
Max. Workpiece Weight	500 Kg	1102.3 lb
Max. Output Current	50 A	50 A
Best Surface Finish/Wear Rate	0.08 Ra / 0.02 %	0.08 Ra / 0.02 %
Input Power	10 KVA	10 KVA
Max. Capacity of Dielectric	300 L	300 L
Machine Dimensions (W x D x H)	1320 x 1380 x 2150 mm	1320 x 1380 x 2150 in
Total Weight of Machine	1370 Kg	3020.3 lb



**M.K.S. MACHINERY CO., LTD.**

3575/47-48 Soi Chalaemnittr, Pradu 1 Road, Bangclo, Bangkhorlaem, Bangkok 10120, Thailand

E-mail: mail@mksmachinery.com Website: www.mksmachinery.com

Tel: 02-688-4192, 089-893-1715



# NEUAR EDM

## A90E2



Item	Metric	Imperial Units
Travel (X / Y / Z)	500 x 400 x 350 mm	19.6 x 15.7 x 13.7 in
Work Table Dimensions (X / Y)	800 x 450 mm	31.4 x 17.7 in
Work Tank Dimensions (W x D x H)	1240 x 700 x 435 mm	48.8 x 27.5 x 17.1 in
Z axis auxiliary Travel Distance	+170 mm	+6.6 in
Distance between chuck and table (3R / EROWA)	60 ~ 585 (T16) mm	2.3 ~ 23 (T16) in
Maximum Electrode Weight	200 kg	440.9 lb
Max. Workpiece Weight	1350 Kg	2976.2 lb
Max. Output Current	60 A	60 A
Best Surface Finish/Wear Rate	0.08 Ra / 0.02 %	0.08 Ra / 0.02 %
Input Power	10 KVA	10 KVA
Max. Capacity of Dielectric	600 L	600 L
Machine Dimensions (W x D x H)	2055 x 1690 x 2310 mm	80.9 x 66.5 x 90.9 in
Total Weight of Machine	2615 Kg	5765 lb